Fliegenschnüre ein Wirrwar?

Cortland 444 SL


444 SL Classic Taper Chart

SIZES: WEIGHT FORWARD 3-9 | TYPE: FLOATING | TAPERS: WEIGHT FORWARD | CORE: BRAIDED NYLON MULTIFILAMENT










INTOUCH RIO GOLD

LINE PROFILE



Example: WF-5-F Overall Length: 90'



Loop Evotec 85

WF3	Floating	8.5m	27.0m	8g
WF4	Floating	8.5m	27.0m	1 0.0g
WF5	Floating	8.5m	27.0m	12.0 g
WF6	Floating	8.5m	27.0m	14. 0g
WF7	Floating	8.5m	27.0m	16.5g
WF8	Floating	8.5m	27.0m	18.0
WF9	Floating	8.5m	27.0m	20.5g

Loop Evotec 100

WF3	Floating	10.4m	29.0m	8.0g
WF4	Floating	10.4m	29.0m	10.0g
WF5	Floating	10.4m	29.0m	12.0g
WF6	Floating	10.4m	29.0m	14.0g
WF7	Floating	10.4m	29.0m	16.5g
WF8	Floating	10.4m	29.0m	18.0g
WF9	Floating	10.4m	29.0m	20.5g

Loop Evotec 140

WF5	Floating	14.0m	30.0m	15.0g
WF6	Floating	14.0m	30.0m	17.0g
WF7	Floating	14.0m	30.0m	19.0g
WF8	Floating	14.0m	30.0m	21.0g

Guideline Highwater

Line	Taper length	Total length	Colour
WFF #3 - #7	13,5-14,8 m /14-16 yds.	27,5 m/30 yds	Mustard/Orange/Dark Olive

Line	Head Length	Head weight
WF #3	13,5 meter	10 grams
WF #4	13,9 meter	12 grams
WF #5	14,2 meter	14 grams
WF #6	14,5 meter	16 grams
WF #7	14,8 meter	18 grams

Guideline 4Cast

The profile will assist in easy load of the rod, superb line control and a slightly delayed and very accurate turnover through the smooth tip. This, combined with a strong handling line tapered into a low friction, low diameter runningline will set you up for long casts and pin point presentations alike. A very good choice for the allround flyfisher who wants a line that performs equally well with overhead- and spey casts at a reasonable price. Integrated front loop.

Line	Taper length	Total length	Colour
WF #3 - #8	10,4-11,7 m/11,4-12,8 yds	27,5 m/30 yds	Ivory Head/Faded Green

Line	Weight 9,14m	Total head length /weight
WF #3	7 grams	10,4 meter/8 grams
WF #4	8 grams	10,5 meter/10 grams
WF #5	10 grams	10,8 meter/12 grams
WF #6	12 grams	11,1 meter/14 grams
WF #7	14 grams	11,4 meter/16 grams